

# Safety Data Sheet

acc. to OSHA HCS

**Revision Number 5** 

Page 1/8

Article Number 112

Revision Date 02/27/2015

# Section 1. Identification

## **Product identifier**

- Trade name: RPI Royal Edge Pourable Sealer A
- Product Code: PSA
- **Relevant identified uses of the substance or mixture:** Construction **Details of the supplier of the safety data sheet** 
  - Manufacturer/Supplier: Roofing Products International, Inc. 57460 Dewitt St. Elkhart, IN 46517-1078
- Information department: Technical Services Department

## Emergency telephone number

ChemTrec: UNITED STATES 1(800)424-9300 INTERNATIONAL 703-527-3887

# Section 2. Hazard(s) identification

## Classification of the substance or mixture

The product is not classifed according to the Globally Harmonized System (GHS).

## Label elements

| GHS label elements:   | Void |
|-----------------------|------|
| Hazard pictograms:    | Void |
| Signal Word:          | Void |
| Hazard statements:    | Void |
| Classification system |      |

• NFPA ratings (scale 0 - 4)



• HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE1Fire = 1PHYSICAL HAZARDPhysical Hazard = 0

### **Other hazards**

May result in irritation to skin and eyes. May result in repiratory irritation. Ingestion: May result in gastric disturbances.

- Results of PBT and vPvB assessment:
- *PBT:* Not applicable.
- *vPvB*: Not applicable.

# Section 3 Composition/information on ingrediants

- Chemical characterization: Substances
- CAS No. Description: Trade Secret

(Contd. on page 2)

Article Number 112

Revision Number 5

Revision Date 02/27/2015

Tradename: RPI Royal Edge Pourable Sealer A

(Contd. of page 1)

Page 2/8

| Identification number(s): NA Chemical<br>characterization: Mixtures Discription:<br>Polyol mixture with additives |             |              |
|---|-------------|--------------|
| Components  | CAS Number  |              |
| Polybutadiene   | 69102-90-5  | 50 - 100%    |
| Limestone   | 1317-65-3   | 25-50%       |
| Polyol  |             | 2.5-10%      |
| Amorphous Silica  | 112945-52-5 | <i>≤2.5%</i> |
| Quartz (SiO2)   | 14808-60-7  | <0.5%        |

# Section 4. First-aid measures

# Description of first aid measures

### • General information:

Symptoms of poisoning may occur after several hours; therefore medical observation for at least 48 hours after the accident is recommended.

• After inhalation:

Remove victim to area off fresh air and seek medical attention. Supply fresh air. If required, provide artificial respiration. If breathing is difficult, give oxygen. Call a doctor immediately.

• Afterskin contact:

*Remove contaminated clothing and immediately wash affected area with soap and water. Rinse affected area with clean water for 15 minutes. Wash clothing before reuse.* 

### • After eye contact:

Rinse opened eye for several minutes under clean running water. If eye is irritated, Contact a physician.

### • After swallowing:

Call a poison center or physician. Remove any dentures. Wash out mouth with clean water. Drink 1 - 2 glasses of water but do not induce vomiting. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If vomiting occurs the head should be kept low to prevent vomit from entering lungs. If unconscious, place in recovery position and get immediate medical attention. Do not give anything by mouth

to an unconscious person. Maintain an open airway. Loosen tight clothing to provide unrestricted breathing.

## Information for Physician

### • *Indication of any immediate medical attention and special treatment needed No further relevent information available.*

- *Specific treatments: Treat symptomatically and supportively.*
- **Protection of first aiders** No further relevent information available.

# Section 5. Fire-fighting measures

# Extinguishing media

- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Use water spray to fight large fires.
- Special hazards arising from the substance or mixture: No further relevent information available.

## Advice for firefighters

- Wear protective clothing and a respiratory device.
- Additional information Cool endangered receptacles with water spray.

(Contd. on page 3)

Article Number 112

**Revision Number 5** 

Revision Date 02/27/2015

Tradename: RPI Royal Edge Pourable Sealer A

(Contd. of page 2)

# Section 6. Accidental release measures

# Personal precautions, equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

- *Environmental precautions:* Inform respective authorities in case of seepage into water course or sewage system. Prevent seepage into sewage system, workpits and cellars. Do not allow to enter sewers/surface or ground water.
- *Methods and material for containment and cleaning up: Absorb with liquid binding material (snd, diatomite, acid inders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with local, state, and federal regulations. Ensure adequate ventilation.*

### **Reference to other sections**

Wash contaminated area with soap and water to prevent slips. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# Section 7. Handling and storage

### Handling

 Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace. Wear personal protective equipment. Open and handle receptacle with care. Avoid contact with eyes. Avoid repeated or prolonged contact with skin. Prevent the formation of aerosols.

# Information about protection against explosions and fires

No special measures required.

### Conditions for safe storage, including any incompatibilities Storage

- Requirments to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s): No further relevent information available.

### Advice on general occupational hygiene

Do not eat, drink, or smoke in areas where this product is being handled, stored, or processed. Workers should wash face and hands before eating, drinking or smoking. Remove protective clothing and equipment before entering eating areas.

| Control parameters<br>Components with limit values tha |            | l systems:<br>ne workplace:  |
|--|------------|--|
| Name of Ingredients                                    | CAS Number | Exposure Limits  |
| Quartz (SiO2) ( <0.5%)                                 | 14808-60-7 | PELSee Quartz listingREL $0.05^* mg/m^3$ *respirable dust; See Pocket Guide App.ATLV $0.025^*mg/m^3$ *as respirable fraction |

Page 3/8

Article Number 112

**Revision Number 5** 

Revision Date 02/27/2015

#### Tradename: RPI Royal Edge Pourable Sealer A

(Contd. of page 3)

Additional information: The lists that were valid during the creation of product were used as basis.

### Exposure controls

### Personal protective equipment (see listings below)

- General protection and hygiene Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Store protective clothing separately.
- Breathing equipment: Not required.
- Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance and the preparation. Check with glove manufacturer for data regarding chemical resistance.

# Material of gloves:

Nitrile rubber, NBR Butyl rubber, BR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and therefore has to be checked prior to the application.

• Penetration time of glove material:

The exact break through time is established by the manufacturer and must be observed.

*Eye protection:* Safety glasses with side shields **Body protection:** Protective work clothing.

| Information on basic physical a | nd chemical properties                        |  |
|---------------------------------|---|--|
| General Information             |   |  |
| • Appearance:                   |   |  |
| Form:                           | Liquid  |  |
| Color:                          | White   |  |
| Odor:                           | Characteristic                                |  |
| Odor Threshold:                 | Not determined                                |  |
| pH-value:                       | Not determined                                |  |
| Change in condition             |   |  |
| • Melting point/Melting Range   | Undetermined.                                 |  |
| Boiling point/Boiling Range     | Undetermined                                  |  |
| • Flash point:                  | >196° C (>385° F)                             |  |
| • Ignition Temperature:         |   |  |
| • Auto igniting:                | Product is not self igniting.                 |  |
| • Danger of explosion:          | Product does not present an explosion hazard. |  |
| • Flammable limits:             |   |  |
| Lower:                          | Not determined                                |  |
| Upper:                          | Not determined.                               |  |

**Revision Number 5** 

Tradename: RPI Royal Edge Pourable Sealer A

Revision Date 02/27/2015

(Contd. of page 4)

Page 5/8

| • Specific gravity at 20° C (68° F)       | 1.25 g/cm <sup>3</sup> (10.431 lbs/gal)    |
|---|--|
| • Relative density:                       | Not determined.                            |
| • Vapor density:                          | Not determined.                            |
| • Evaporation rate:                       | Not deterimined.                           |
| Partition coefficient                     |  |
| (n-octanol/water: gravity:                | Not determined.                            |
| (n-octanol/water: gravity:                | Not determined.                            |
| • Solubility in / Miscibility with Water: | Insoluble.                                 |
| Viscosity                                 |  |
| • Dynamic:                                | Not determined                             |
| • Kinematic:                              | Not determined                             |
| • Organic solvents:                       | 0.0%                                       |
| • VOC (Per EPA 24)content:                | Not available GMS/L                        |
| • Solids content:                         | 100.0%                                     |
| Other information                         | No further relevent information available. |

# Section 10. Stability and reactivity

## Reactivity

## Chemical stability

- Thermal decomposition/conditions to be avoided:
- No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- Conditions to avoid: Exposure to high temperatures, open flames, and sparks. Do not pressurize, cut, weld, braze, drill, or grind on containers.
- Incompatible materials: Reacts with oxidizing agents.
- *Hazardous Decomposition products: Carbon monoxide and carbon dioxide. Hydrocarbons*

|         | ition on to<br>toxicity | oxicological effects          |         |                          |  |
|---------|-------------------------|-------------------------------|---------|--------------------------|--|
| • LD/L  | .C50 values             | that are relevant for classif | ication |                          |  |
| 101-68- | 8 4,4'-metl             | hylenediphenyl diisocyanat    | te      |                          |  |
| Oral    | LD50                    | 2200 mg/kg (rat)              |         |                          |  |
| 26761-4 | 10-0 di-isod            | lecyl" phthalate              | LD50    | >7426 mg/kg (guinea pig) |  |
| Oral    | LD50                    | 64000 mg/kg (rat)             |         | 32000 ppm (rat)          |  |
| Primary | v irritant e            | effect                        |         |                          |  |

(0 .1 .

Article Number 112

Article Number 112

Revision Number 5

Revision Date 02/27/2015

#### Tradename: RPI Royal Edge Pourable Sealer A

(Contd. of page 5)

1

K

2B

Page 6/8

### Sensitization

Inhalation-Sensitization possible through inhalation. Skin Contact- Sensitization possible throught skin contact.

### Additional toxicological information

This product is not subject to classification according to the internally approved methods for preparations. When used and handled according to spectifications, the product does not have any harmful effects according to our experience and information provided to us.

### Carcinogenic categories

## IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2)

100-40-3 4- vinylcyclohexene

### NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2)

# Section 12. Ecological information

### *Toxicity*

- Aquatic toxicity: No further relevant information is available
- Persistance and degradability: No further information is available.

### Behavior in environmental systems

- Bioaccumulative potential: No further relevent information is available.
- Mobility in soil: No further relevent information is available.

## Additional ecological information

• General notes: At present there are no ecotoxicological assessments.

### Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- *vPvB*: Not applicable.

#### Other adverse effects

No further relevent information available.

# Section 13. Disposal considerations

### Waste treatment methods

• Recommendation:

Must be specially treated adhering to official regulations.

#### Unclean packagings:

### • Recommendation:

Disposal must be made according to official regulations.

| Section 14. Transportion info<br>UN-Number                               | "muuon |  |
|--|--------|--|
| • DOT, ADR, ADN, IMDG, IATA  | Void   |  |
| UN proper shipping name<br>• DOT, ADR, ADN, IMDG, IATA                   | Void   |  |
| Transport hazard class(es) <ul> <li>DOT, ADR, ADN, IMDG, IATA</li> </ul> |        |  |

Revision Date 02/27/2015

Article Number 112

Revision Number 5

Tradename: RPI Royal Edge Pourable Sealer A

(Contd. of page 6)

| • Class                              | Void  |
|--------------------------------------|---|
| Packing group                        |   |
| DOT, ADR, ADN, IMDG, IATA            | Void  |
| • Environmental hazards:             | Not applicable  |
| • Special precautions for user:      | Not applicable  |
| Transport in bulk according to Annex |   |
| II of MARPOL73/78 and the IBC Code   | Not applicable  |
| Transport/Additional information:    | Export Controlled:  |
|                                      | This product and Technical Data Sheets are export controlled          |
|                                      | Export is strictly prohibited unless authorized the the United States |
|                                      | Government.   |
| UN "Model Regulation":               | Not Applicable  |

# Section 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture. • Sara

- Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.
- TSCA (Toxic Substances Control Act):

All components of thes product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

## **Proposition 65**

### • Chemicals known to cause cancer:

100-40-3 4-vinylcyclohexene

• Chemicals known to cause reproductive toxicity:

100-40-3 4-vinylcyclohexene

# (DSL) Canada Domestic Substance List

All components of this product are on the DSL (Canada Domestic Substance list) or are exempt from DSL requirements.

## Cancerogenity categories

| • EPA (Envir | onmental Protection Agency)            |    |  |
|--------------|--|----|--|
| None of the  | None of the ingredients is listed.     |    |  |
| • TLV (Thres | hold Limit Value established by ACGIH) |    |  |
| 14808-60-7   | Quartz (SiO2)                          | A2 |  |
| 100-40-3     | 4-vinylcyclohexene                     | A3 |  |
|              | (Contd. on page 8)                     |    |  |

(Contd. on page 8)

Page 7/8

Article Number 112

Revision Number 5

Revision Date 02/27/2015

Tradename: RPI Royal Edge Pourable Sealer A

sion Duie 02/27/2015

(Contd. of page 7)

1

2

- MAK (German Maximum Workplace Concentration)
  - 14808-60-7 Quartz (SiO2)
  - 100-40-3 4-vinylcyclohexene
- NIOSH-Ca (National Institute for Occupational Safety and Health)

14808-60-7 Quartz (SiO2)

• OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# National regulations

- Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# Section 16. Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Roofing Products International, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Roofing Products International, Inc. or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- Department issuing SDS: Technical Services Department
- Creation Date: 03/28/2003
- Date of preparation: 02/27/2015
- Last revision: Format update
- Abbreviations and acronyms:

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulation Concerningthe International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transportation ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

End of SDS

Page 8/8